

FORM PTO-1390 (Modified)
(REV 11-98)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

203250US2PCT

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/763852

INTERNATIONAL APPLICATION NO.
PCT/JP00/04400 ✓INTERNATIONAL FILING DATE
03 July 2000 ✓PRIORITY DATE CLAIMED
05 July 1999 ✓

TITLE OF INVENTION

METHOD, APPARATUS, COMPUTER PROGRAM, COMPUTER SYSTEM, AND COMPUTER-READABLE
STORAGE MEDIUM FOR REPRESENTING AND SEARCHING FOR AN OBJECT IN AN IMAGE

APPLICANT(S) FOR DO/EO/US

Miroslaw Z. BOBER ✓

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☐ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
9. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☐ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ Certificate of Mailing by Express Mail
20. ☒ Other items or information:

Request for Consideration of Documents Cited in International Search Report

Notice of Priority

PCT/IB/308

Drawings (2 Sheets)

Form PTO-1595(2)

(2) Assignments

U.S. APPLICATION NO. (IF KNOWN) SEE 37 CFR 09/763852	INTERNATIONAL APPLICATION NO. PCT/JP00/04400	ATTORNEY'S DOCKET NUMBER 203250US2PCT
----------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------

21. The following fees are submitted:				CALCULATIONS PTO USE ONLY	
BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :					
<input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1,000.00					
<input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00					
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$710.00					
<input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00					
<input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).				\$0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	24 - 20 =	4	x \$18.00	\$72.00	
Independent claims	6 - 3 =	3	x \$80.00	\$240.00	
Multiple Dependent Claims (check if applicable).			<input type="checkbox"/>	\$0.00	
TOTAL OF ABOVE CALCULATIONS =				\$1,172.00	
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable).				<input type="checkbox"/>	\$0.00
SUBTOTAL =				\$1,172.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).				\$0.00	
TOTAL NATIONAL FEE =				\$1,172.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable).				<input checked="" type="checkbox"/>	\$80.00
TOTAL FEES ENCLOSED =				\$1,252.00	
				Amount to be: refunded	\$
				charged	\$

- ☒ A check in the amount of **\$1,252.00** to cover the above fees is enclosed.
- ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **15-0030** A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Surinder Sachar
Registration No. 34,423

SIGNATURE

Marvin J. Spivak

NAME

24,913

REGISTRATION NUMBER

DATE

Feb. 28 2001

203250US

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
MIROSLAW Z. BOBER : ATTN: APPLICATION DIVISION
SERIAL NO: NEW U.S. PCT APPLN :
(Based on PCT/JP00/04400)
FILED: HEREWITH :
FOR: METHOD, APPARATUS, COMPUTER:
PROGRAM, COMPUTER SYSTEM,
AND COMPUTER-READABLE
STORAGE FOR REPRESENTING
AND SEARCHING FOR AN OBJECT
IN AN IMAGE

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Prior to a first examination on the merits, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend the claims as follows:

Claim 7, line 1, replace "any one of claims 1 to 6" with --claim 1--.

Claim 9, line 1, replace "any one of claims 1 to 6" with --claim 1--.

Claim 13, line 1, replace "any one of claims 10 to 12" with --claim 10--.

--14. (Amended) A method as claimed in claim 10 wherein said values are derived using a method [as claimed in any one of claims 1 to 9] of representing an object appearing in a still or video image, by processing signals corresponding to the image, the method

comprising deriving a plurality of numerical values associated with features appearing on the outline of an object starting from an arbitrary point on the outline and applying a predetermined ordering to said values to arrive at a representation of the outline.--

Claim 15, lines 5-6, replace "any one of claims 1 to 9" with --claim 1--;

lines 7-8, replace "any one of claims 1 to 9" with --claim 1--.

Claim 16, line 3, replace "any one of claims 10 to 12" with --claim 10--.

Claim 18, line 2, replace "any one of claims 1 to 17" with --claim 1--.

Claim 19, line 2, replace "any one of claims 1 to 17" with --claim 1--.

Claim 20, line 2, replace "any one of claims 1 to 17" with --claim 1--.

Claim 21, line 3, replace "any one of claims 1 to 17" with --claim 1--.

REMARKS


Favorable consideration of this application, as presently amended, is respectfully requested.

The present preliminary amendment is submitted to place the above-identified application in more proper format under United States practice. By the present preliminary amendment the claims have been amended to no longer recite any multiple dependencies.

The present application is believed to be in condition for a full and thorough examination on the merits. An early and favorable consideration of the present application is hereby respectfully requested.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier
Attorney of Record
Registration No. 25,599
Surinder Sachar
Registration No. 34,423



22850

(703) 413-3000
Fax No.: (703) 413-2220
GJM:SNS\la
I:\atty\SNS\203250-pr.wpd

2/PRTS

09/763852
JC02 Rec'd PCT/PTO 28 FEB 2001
07255

SPECIFICATION

Method, Apparatus, Computer program, Computer system, and
Computer-readable storage medium for Representing and
Searching for an Object in an Image

Technical Field

The present invention relates to the representation of an object appearing in a still or video image, such as an image stored in a multimedia database, especially for searching purposes, and to a method and apparatus for searching for an object using such a representation.

Background Art

In applications such as image or video libraries, it is desirable to have an efficient representation and storage of the outline or shape of objects or parts of objects appearing in still or video images. A known technique for shape-based indexing and retrieval uses Curvature Scale Space (CSS) representation. Details of the CSS representation can be found in the papers "Robust and Efficient Shape Indexing through Curvature Scale Space" Proc. British Machine Vision conference, pp 53-62, Edinburgh, UK, 1996 and "Indexing an Image Database by Shape Content using Curvature Scale Space" Proc. IEE Colloquium on Intelligent

Databases, London 1996, both by F. Mokhtarian, S. Abbasi and J. Kittler, the contents of which are incorporated herein by reference.

The CSS representation uses a curvature function for the outline of the object, starting from an arbitrary point on the outline. The curvature function is studied as the outline shape is evolved by a series of deformations which smooth the shape. More specifically, the zero crossings of the derivative of the curvature function convolved with a family of Gaussian filters are computed. The zero crossings are plotted on a graph, known as the Curvature Scale Space, where the x-axis is the normalised arc-length of the curve and the y-axis is the evolution parameter, specifically, the parameter of the filter applied. The plots on the graph form loops characteristic of the outline. Each convex or concave part of the object outline corresponds to a loop in the CSS image. The co-ordinates of the peaks of the most prominent loops in the CSS image are used as a representation of the outline.

To search for objects in images stored in a database matching the shape of an input object, the CSS representation of an input shape is calculated. The similarity between an input shape and stored shapes is determined by comparing the position and height of the peaks in the respective CSS images using a matching algorithm.

A problem with the known CSS representation is that the peaks for a given outline are based on the curvature function which is computed starting from an arbitrary point on the outline. If the starting point is changed, then there is a cyclic shift along the x-axis of the peaks in the CSS image. Thus, when a similarity measure is computed, all possible shifts need to be investigated, or at least the most likely shift. This results in increased complexity in the searching and matching procedure.

Accordingly the present invention provides a method of representing an object appearing in a still or video image, by processing signals corresponding to the image, the method comprising deriving a plurality of numerical values associated with features appearing on the outline of an object starting from an arbitrary point on the outline and applying a predetermined ordering to said values to arrive at a representation of the outline. Preferably, said values are derived from a CSS representation of said outline, and preferably they correspond to the CSS peak values.

As a result of the invention, the computation involved in matching procedures can be greatly reduced, without a significant reduction in the retrieval accuracy.

Disclosure of Invention

A method of representing an object appearing in a still or video image, by processing signals corresponding to the image set forth in claim 1, the method comprises deriving a plurality of numerical values associated with features appearing on the outline of an object starting from an arbitrary point on the outline and applying a predetermined ordering to said values to arrive at a representation of the outline.

In a method set forth in claim 2, the predetermined ordering is such that the resulting representation is independent of the starting point on the outline.

In a method set forth in claim 3, the numerical values reflect points of inflection on the curve.

In a method set forth in claim 4, a curvature scale space representation of the outline is obtained by smoothing the outline in a plurality of stages using a smoothing parameter sigma, resulting in a plurality of outline curves, using values for the maxima and minima of the curvature of each outline curve to derive curves characteristic of the original outline, and selecting the co-ordinates of peaks of said characteristic curves as said numerical values.

In a method set forth in claim 5, the co-ordinates of

the characteristic curves correspond to an arc-length parameter of the outline and the smoothing parameter.

In a method set forth in claim 6, the peak co-ordinate values are ordered on the basis of the peak height values, corresponding to the smoothing parameter.

In a method set forth in claim 7, the values are ordered starting from the greatest value.

In a method set forth in claim 8, the values are ordered in decreasing size.

In a method set forth in claim 9, the values are ordered starting from the smallest value.

A method of representing an object appearing in a still or video image, by processing signals corresponding to the image set forth in claim 10, the method comprises deriving a plurality of numerical values associated with features appearing on the outline of an object to represent said outline and deriving a factor indicating the reliability of said representation using a relationship between at least two of said values.

In a method set forth in claim 11, the factor is based on the ratio between two of said values.

In a method set forth in claim 12, the ratio is of the

two greatest values.

In a method set forth in claim 13, a curvature scale space representation of the outline is obtained by smoothing the outline in a plurality of stages using a smoothing parameter sigma, resulting in a plurality of outline curves, using values for the maxima and minima of the curvature of each outline curve to derive curves characteristic of the original outline, and selecting the co-ordinates of peaks of said characteristic curves as said numerical values.

In a method set forth in claim 14, the values are derived using a method as claimed in any one of claims 1 to 9.

A method of searching for an object in a still or video image by processing signals corresponding to images set forth in claim 15, the method comprises inputting a query in the form of a two-dimensional outline, deriving a descriptor of said outline using a method as claimed in any one of claims 1 to 9, obtaining a descriptor of objects in stored images derived using a method as claimed in any one of claims 1 to 9 and comparing said query descriptor with each descriptor for a stored object, and selecting and displaying at least one result corresponding to an image containing an

object for which the comparison indicates a degree of similarity between the query and said object.

In a method set forth in claim 16, a factor is derived for the query outline and for each stored outline using a method as claimed in any one of claims 10 to 12, and the comparison is made using the predetermined ordering only or the predetermined ordering and some other ordering depending on said factors.

A method of representing a plurality of objects appearing in still or video images, by processing signals corresponding to the images set forth in claim 17, the method comprises deriving a plurality of numerical values associated with features appearing on the outline of each object and applying the same predetermined ordering to said values for each outline to arrive at a representation of each outline.

An apparatus set forth in claim 18 is adapted to implement a method as claimed in any one of claims 1 to 17.

A computer program set forth in claim 19 implements a method as claimed in any one of claims 1 to 17.

A computer system set forth in claim 20 is programmed to operate according to a method as claimed in any one of

claims 1 to 17.

A computer-readable storage medium set forth in claim 21 stores computer-executable process steps for implementing a method as claimed in any one of claims 1 to 17.

A method of representing objects in still or video images set forth in claim 22 is described with reference to the accompanying drawings.

A method of searching for objects in still or video images set forth in claim 23 is described with reference to the accompanying drawings.

A computer system set forth in claim 24 is described with reference to the accompanying drawings.

Brief Description of the Drawings

Fig. 1 is a block diagram of a video database system;

Fig. 2 is a drawing of an outline of an object;

Fig. 3 is a CSS representation of the outline of Fig. 2; and

Fig. 4 is a block diagram illustrating a searching method.

Best Mode for Carrying Out the Invention

First embodiment

Fig. 1 shows a computerised video database system according to an embodiment of the invention. The system includes a control unit 2 in the form of a computer, a display unit 4 in the form of a monitor, a pointing device 6 in the form of a mouse, an image database 8 including stored still and video images and a descriptor database 10 storing descriptors of objects or parts of objects appearing in images stored in the image database 8.

A descriptor for the shape of each object of interest appearing in an image in the image database is derived by the control unit 2 and stored in the descriptor database 10. The control unit 2 derives the descriptors operating under the control of a suitable program implementing a method as described below.

Firstly, for a given object outline, a CSS representation of the outline is derived. This is done using the known method as described in one of the papers mentioned above.

More specifically, the outline is expressed by a representation $\Psi = \{(x(u), y(u), u \in [0, 1])\}$ where u is a normalised arc length parameter.

The outline is smoothed by convolving Ψ with an ID Gaussian kernel $g(u, \sigma)$, and the curvature zero crossings of the evolving curve are examined as σ changes. The zero crossing are identified using the following expression for the curvature:

$$k(u, \sigma) = \frac{X_u(u, \sigma)Y_{uu}(u, \sigma) - X_{uu}(u, \sigma)Y_u(u, \sigma)}{(X_u(u, \sigma)^2 + Y_u(u, \sigma)^2)^{3/2}}$$

where

$$X(u, \sigma) = x(u) * g(u, \sigma) \quad Y(u, \sigma) = y(u) * g(u, \sigma)$$

and

$$X_u(u, \sigma) = x(u) * g_u(u, \sigma) \quad X_{uu}(u, \sigma) = x(u) * g_{uu}(u, \sigma)$$

In the above, $*$ represents convolution and subscripts represent derivatives.

The number of curvature zero crossings changes as σ changes, and when σ is sufficiently high Ψ is a convex curve with no zero crossings.

The zero crossing points (u, σ) are plotted on a graph, known as the CSS image space. This results in a plurality of curves characteristic of the original outline. The peaks of the characteristic curves are identified and the corresponding co-ordinates are extracted and stored. In general terms, this gives a set of n co-ordinate pairs

$[(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)]$, where n is the number of peaks, and x_i is the arc-length position of the i th peak and y_i is the peak height.

The order and position of characteristic curves and the corresponding peaks as they appear in the CSS image space depends on the starting point for the curvature function described above. According to the invention, the peak co-ordinates are re-ordered using a specific ordering function.

Ordering is performed by a one-to-one mapping T of the peak indices $\{1 \dots n\}$ to a new set of indices $\{1 \dots n\}$.

In this embodiment, the co-ordinate pairs are ordered by considering the size of the y co-ordinates. Firstly, the highest peak is selected. Suppose the k th peak is the most prominent. Then (x_k, y_k) becomes the first in the ordered set of values. In other words, $T(k) = 1$. Similarly, the other peak co-ordinates are re-ordered in terms of decreasing peak height. If two peaks have the same height, then the peak having the x -co-ordinate closest to that of the preceding co-ordinate pair is placed first. In other words, each co-ordinate pair having an original index i is assigned a new index j where $T(i) = j$ and $y_j \geq y_{j+1}$. Also, each value x_i is subjected to a cyclic shift of $-x_k$.

As a specific example, the outline shown in Fig. 2 results in a CSS image as shown in Fig. 3. Details of the co-ordinates of the peaks of the curves in the CSS image are given in Table 1 below.

Peak Index	X	Y
1	0.124	123
2	0.68	548
3	0.22	2120
4	0.773	1001
5	0.901	678

Table 1.

The peaks are ordered using the ordering described above. In other words, the co-ordinates are ordered in terms of decreasing peak height. Also, the x co-ordinates are all shifted towards zero by an amount equal to the original x co-ordinate of the highest peak. This results in re-ordered peak co-ordinates as given in Table 2 below.

Peak Index	X	Y
1	0	2120
2	0.553	1001
3	0.681	678
4	0.46	548
5	0.904	123

Table 2.

These re-ordered peak co-ordinates form the basis of

the descriptor stored in the database 10 for the object outline. In this embodiment, the peak co-ordinates are stored in the order shown in Table 2. Alternatively, the co-ordinates can be stored in the original order, together with an associated indexing indicating the new ordering.

Second embodiment

An alternative method of representing the object outline according to a second embodiment will now be described.

A CSS representation of the outline is derived as described above. However, the ordering of the peak co-ordinates is different from the ordering in Embodiment 1 described above. More specifically, firstly the highest peak is selected. Suppose peak k is the most prominent one. Then (x_k, y_k) becomes the first peak in the ordered set of peaks. The subsequent peaks are ordered so that for peak co-ordinates of original index i , then $T(i) = j$, and $x_j \leq x_{j+1}$. Also, all values x_i are shifted downwards by an amount x_k equal to the original x co-ordinate of original peak k .

In other words, in the ordering method according to embodiment 2, the highest peak is selected and placed first,

and then the remaining peaks follow in the original sequence starting from the highest peak.

Table 3 below shows the peak values of Table 1 ordered according to the second embodiment.

Peak Index	X	Y
1	0	2120
2	0.46	548
3	0.553	1001
4	0.681	678
5	0.904	123

Table 3.

In a development of embodiments 1 and 2 described above, a confidence factor (CF) is additionally associated with each representation of a shape. The CF is calculated from the ratio of the second highest and the highest peak values for a given shape.

For the outline shown in Fig. 2, the CF value is $CF = 1001/2120$. In this example, the CF is quantized by rounding to the nearest 0.1 to reduce storage requirements. Accordingly, here $CF = 0.5$.

The CF value in this example is a reflection of the accuracy or uniqueness of the representation. Here, a CF value close to one means low confidence and a CF value close to zero means high confidence. In other words, the closer are the two highest peak values, the less likely it is that the representation is accurate.

The CF value can be useful when performing a matching

procedure, as will be shown in the following description.

Third embodiment

A method of searching for an object in an image in accordance with an embodiment of the invention will now be described with reference to Fig. 4 which is a block diagram of the searching method.

Here, the descriptor database 10 of the system of Fig. 1 stores descriptors derived according to the first ordering method described above together with associated CF values.

The user initiates a search by drawing an object outline on the display using the pointing device (step 410). The control unit 2 then derives a CSS representation of the input outline and orders the peak co-ordinates in accordance with the same ordering function used for the images in the database to arrive at a descriptor for the input outline (step 420). The control unit 2 then also calculates a CF value for the input outline by calculating the ratio of the second highest peak value to the highest peak value and quantizing the result (step 430).

The control unit 2 then compares the CF value for the input outline with a predetermined threshold (step 440). In this example, the threshold is 0.75. If the CF value is

lower than the threshold, indicating a relatively high confidence in the accuracy of the input descriptor, then the next step is to consider the CF value for the model (ie image stored in the database) under consideration. If the model CF is also lower than the threshold (step 450), then the input and model are compared using the respective descriptors in the predetermined ordering only (step 460). If CF for either the input or the model is greater than the threshold, then matching is performed by comparing all possible different orderings of the co-ordinate values in the input descriptors with the model descriptor in the database (step 470).

The matching comparison is carried out using a suitable algorithm resulting in a similarity measure for each descriptor in the database. A known matching algorithm such as described in the above-mentioned papers can be used. That matching procedure is briefly described below.

Given two closed contour shapes, the image curve Ψ_i and the model curve Ψ_m and their respective sets of peaks $\{(x_{i1}, y_{i1}), (x_{i2}, y_{i2}), \dots, (x_{in}, y_{in})\}$ and $\{(x_{m1}, y_{m1}), (x_{m2}, y_{m2}), \dots, (x_{mn}, y_{mn})\}$ the similarity measure is calculated. The similarity measure is defined as a total cost of matching

of peaks in the model into peaks in the image. The matching which minimises the total cost is determined using a dynamic programming. The algorithm recursively matches the peaks from the model to the peaks from the image and calculates the cost of each such match. Each model peak can be matched with only one image peak and each image peak can be matched with only one model peak. Some of the model and or image peak may remain unmatched, and there is an additional penalty cost for each unmatched peak. Two peaks can be matched if their horizontal distance is less than 0.2. The cost of a match is the length of the straight line between the two matched peaks. The cost of an unmatched peak is its height.

In more detail the algorithm works by creating and expanding a tree-like structure, where nodes correspond to matched peaks:

1. Create starting node consisting of the largest maximum of the image (x_{ik}, y_{ik}) and the largest maximum of the model (x_{ir}, y_{ir}).
2. For each remaining model peak which is within 80 percent of the largest maximum of the image peaks create an additional starting node.

3. Initialise the cost of each starting node created in 1 and 2 to the absolute difference of the y-coordinate of the image and model peaks linked by this node.

4. For each starting node in 3, compute the CSS shift parameter alpha, defined as the difference in the x (horizontal) coordinates of the model and image peaks matched in this starting node. The shift parameter will be different for each node.

5. For each starting node, create a list of model peaks and a list of image peaks. The list hold information which peaks are yet to be matched. For each starting node mark peaks matched in this node as "matched", and all other peaks as "unmatched".

6. Recursively expand a lowest cost node (starting from each node created in steps 1-6 and following with its children nodes) until the condition in point 8 is fulfilled. To expand a node use the following procedure:

7. Expanding a node:

If there is at least one image and one model peak left unmatched:

select the largest scale image curve CSS maximum which is not matched (xip,yip). Apply the starting node

shift parameter (computed in step 4) to map the selected maximum to the model CSS image - now the selected peak has coordinates $(x_{ip}-\alpha, y_{ip})$. Locate the nearest model curve peak which is unmatched (x_{ms}, y_{ms}) . If the horizontal distance between the two peaks is less than 0.2 (i.e: $|x_{ip}-x_{ms}| < 0.2$), match the two peaks and define the cost of the match as the length of the straight line between the two peaks. Add the cost of the match to the total cost of that node. Remove the matched peaks from the respective lists by marking them as "matched". If the horizontal distance between the two peaks is greater than 0.2, the image peak (x_{ip}, y_{ip}) cannot be matched. In that case add its height y_{ip} to the total cost and remove only the peak (x_{ip}, y_{ip}) from the image peak list by marking it as "matched".

Otherwise (There are only image peaks or there are only model peaks left unmatched):

Define the cost of the match as the height of the highest unmatched image or model peak and remove that peak from the list.

8. If after expanding a node in 7 there are no unmatched peaks in both the image and model lists, the

matching procedure is terminated. The cost of this node is the similarity measure between the image and model curve. Otherwise, go to point 7 and expand the lowest cost node.

The above procedure is repeated with the image curve peaks and the model curve peaks swapped. The final matching value is the lower of the two.

As another example, for each position in the ordering, the distance between the input x value and the corresponding model x value and the distance between the input y value and the corresponding model y value are calculated. The total distance over all the positions is calculated and the smaller the total distance, the closer the match. If the number of peaks for the input and the model are different, the peak height for the leftovers is included in the total distance.

The above steps are repeated for each model in the database (step 480).

The similarity measures resulting from the matching comparisons are ordered (step 490) and the objects corresponding to the descriptors having similarity measures indicating the closest match (i.e. here the lowest similarity measures) are then displayed on the display unit

4 for the user (step 500). The number of objects to be displayed can be pre-set or selected by the user.

In the above embodiment, if the CF value is greater than the threshold, then all possible orderings of the input descriptor values are considered in the matching. It is not necessary to consider all possible orderings, and instead only some possible orderings may be considered, such as some or all cyclic shifts of the original CSS representation. Furthermore, in the above embodiment, the threshold value is set to 0.75, but the threshold can be set to different levels. For example, if the threshold is set to zero, then all matches are performed by analysis of some or all possible orderings. This increases the amount of computation required compared with case when threshold is above zero, but since the peaks have already been ordered and their x-coordinate adjusted for a particular starting point or object rotation, the amount of computation required is reduced compared with the original system where no such adjustment has been made. Consequently, by setting the threshold to zero the system offers some reduction in computational cost and the retrieval performance is exactly the same as in the original system.

Alternatively, if the threshold is set to one, then matching is performed using only the stored ordering. There is then a significant reduction in computation required, with only a small deterioration in retrieval accuracy.

Various modifications of the embodiments described above are possible. For example, instead of ordering the CSS peak co-ordinate values as described in embodiments 1 and 2 other orderings can be used. For example, the values can be placed in order of increasing rather than decreasing peak height. Instead of storing the ordered values in the database, the ordering can be carried out during the matching procedure.

Industrial Applicability

A system according to the invention may, for example, be provided in an image library. Alternatively, the databases may be sited remote from the control unit of the system, connected to the control unit by a temporary link such as a telephone line or by a network such as the internet. The image and descriptor databases may be provided, for example, in permanent storage or on portable data storage media such as CD-ROMs or DVDs.

Components of the system as described may be provided in software or hardware form. Although the invention has been described in the form of a computer system, it could be implemented in other forms, for example using a dedicated chip.

Specific examples have been given of methods of representing a 2D shape of an object and of methods for calculating values representing similarities between two shapes but any suitable such methods can be used.

The invention can also be used, for example, for matching images of objects for verification purposes, or for filtering.

CLAIMS

1. A method of representing an object appearing in a still or video image, by processing signals corresponding to the image, the method comprising deriving a plurality of numerical values associated with features appearing on the outline of an object starting from an arbitrary point on the outline and applying a predetermined ordering to said values to arrive at a representation of the outline.

2. A method as claimed in claim 1 wherein the predetermined ordering is such that the resulting representation is independent of the starting point on the outline.

3. A method as claimed in claim 1 wherein the numerical values reflect points of inflection on the curve.

4. A method as claimed in claim 1 wherein a curvature scale space representation of the outline is obtained by smoothing the outline in a plurality of stages using a smoothing parameter sigma, resulting in a plurality of outline curves, using values for the maxima and minima of

the curvature of each outline curve to derive curves characteristic of the original outline, and selecting the co-ordinates of peaks of said characteristic curves as said numerical values.

5. A method as claimed in claim 4 wherein the co-ordinates of the characteristic curves correspond to an arc-length parameter of the outline and the smoothing parameter.

6. A method as claimed in claim 5 wherein the peak co-ordinate values are ordered on the basis of the peak height values, corresponding to the smoothing parameter.

7. A method as claimed in any one of claims 1 to 6 wherein the values are ordered starting from the greatest value.

8. A method as claimed in claim 7 wherein the values are ordered in decreasing size.

9. A method as claimed in any one of claims 1 to 6 wherein the values are ordered starting from the smallest

value.

10. A method of representing an object appearing in a still or video image, by processing signals corresponding to the image, the method comprising deriving a plurality of numerical values associated with features appearing on the outline of an object to represent said outline and deriving a factor indicating the reliability of said representation using a relationship between at least two of said values.

11. A method as claimed in claim 10 wherein the factor is based on the ratio between two of said values.

12. A method as claimed in claim 11 wherein the ratio is of the two greatest values.

13. A method as claimed in any one of claims 10 to 12 wherein a curvature scale space representation of the outline is obtained by smoothing the outline in a plurality of stages using a smoothing parameter sigma, resulting in a plurality of outline curves, using values for the maxima and minima of the curvature of each outline curve to derive

curves characteristic of the original outline, and selecting the co-ordinates of peaks of said characteristic curves as said numerical values.

14. A method as claimed in claim 10 wherein said values are derived using a method as claimed in any one of claims 1 to 9.

15. A method of searching for an object in a still or video image by processing signals corresponding to images, the method comprising inputting a query in the form of a two-dimensional outline, deriving a descriptor of said outline using a method as claimed in any one of claims 1 to 9, obtaining a descriptor of objects in stored images derived using a method as claimed in any one of claims 1 to 9 and comparing said query descriptor with each descriptor for a stored object, and selecting and displaying at least one result corresponding to an image containing an object for which the comparison indicates a degree of similarity between the query and said object.

16. A method as claimed in claim 15 wherein a factor is

derived for the query outline and for each stored outline using a method as claimed in any one of claims 10 to 12, and the comparison is made using the predetermined ordering only or the predetermined ordering and some other ordering depending on said factors.

17. A method of representing a plurality of objects appearing in still or video images, by processing signals corresponding to the images, the method comprising deriving a plurality of numerical values associated with features appearing on the outline of each object and applying the same predetermined ordering to said values for each outline to arrive at a representation of each outline.

18. An apparatus adapted to implement a method as claimed in any one of claims 1 to 17.

19. A computer program for implementing a method as claimed in any one of claims 1 to 17.

20. A computer system programmed to operate according to a method as claimed in any one of claims 1 to 17.

21. A computer-readable storage medium storing computer-executable process steps for implementing a method as claimed in any one of claims 1 to 17.

22. A method of representing objects in still or video images substantially as hereinbefore described with reference to the accompanying drawings.

23. A method of searching for objects in still or video images substantially as hereinbefore described with reference to the accompanying drawings.

24. A computer system substantially as hereinbefore described with reference to the accompanying drawings.

ABSTRACT

A method of representing an object appearing in a still or video image, by processing signals corresponding to the image, comprises deriving a plurality of numerical values associated with features appearing on the outline of an object starting from an arbitrary point on the outline and applying a predetermined ordering to said values to arrive at a representation of the outline.

(19) 世界知的所有権機関
国際事務局



(43) 国際公開日
2001 年 1 月 11 日 (11.01.2001)


PCT

(10) 国際公開番号
WO 01/03068 A1

- (51) 国際特許分類⁷: G06T 7/00 (72) 発明者; および
(21) 国際出願番号: PCT/JP00/04400 (75) 発明者/出願人 (米国についてのみ): ボーバー ミロス
ロフ ジー (BOBER, Miroslaw Z.) [GB/PL]; GU2 6YD
サリー ギルドフォード ザ サリー リサーチ パーク,
(22) 国際出願日: 2000 年 7 月 3 日 (03.07.2000) フレデリック サンガー ロード 18-20 Surrey (GB).
(25) 国際出願の言語: 日本語 (74) 代理人: 曾我道照, 外 (SOGA, Michiteru et al.); 〒
100-0005 東京都千代田区丸の内三丁目1番1号 国際
ビルディング8階 曾我特許事務所 Tokyo (JP).
(26) 国際公開の言語: 日本語 (81) 指定国 (国内): BR, CN, IN, JP, KR, MX, RU, US.
(30) 優先権データ: 9915698.6 1999 年 7 月 5 日 (05.07.1999) GB 添付公開書類:
— 国際調査報告書
(71) 出願人 (米国を除く全ての指定国について): 三 2 文字コード及び他の略語については、定期発行される
菱電機株式会社 (MITSUBISHI DENKI KABUSHIKI 各 PCT ガゼットの巻頭に掲載されている「コードと略語
KAISHA) [JP/JP]; 〒100-8310 東京都千代田区丸の内 のガイドランスノート」を参照。
二丁目2番3号 Tokyo (JP).

(54) Title: METHOD AND DEVICE FOR DISPLAYING OR SEARCHING FOR OBJECT IN IMAGE AND COM-
PUTER-READABLE STORAGE MEDIUM

(54) 発明の名称: 画像中のオブジェクトを表示する又は検索する方法、装置、及びコンピュータ可読記憶媒体



(57) Abstract: A method for displaying an object appearing in a still or video image by processing a signal corresponding to the image. The method comprises a step of deriving numerical values relating to the feature appearing on the outline of an object starting from any point on the outline and a step of displaying the outline by applying a predetermined sorting to the numerical values.

[続葉有]

WO 01/03068 A1

FIG. 1




FIG. 2




FIG. 3





FIG. 4



Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者（下記の名称が複数の場合）であると信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

METHOD, APPARATUS, COMPUTER PROGRAM, COMPUTER SYSTEM AND COMPUTER-READABLE STORAGE FOR REPRESENTING AND SEARCHING FOR AN OBJECT IN AN IMAGE

上記発明の明細書は、

the specification of which

本書に添付されています。

☐ is attached hereto.

____月____日に提出され、米国出願番号または特許協定条約国際出願番号を____とし、
(該当する場合) _____に訂正されました。

☒ was filed on July 3, 2000 as United States Application Number or PCT International Application Number PCT/JP 00/04400 and was amended on _____ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Japanese Language Declaration
(日本語宣言書)

私は、米国法典第35編119条 (a) - (d) 項又は365条 (b) 項に基づき下記の、米国以外の国の少なくとも一カ国を指定している特許協力条約365 (a) 項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)
外国での先行出願

<u>9915698.6</u> (Number) (番号)	<u>U.K.</u> (Country) (国名)
 (Number) (番号)	 (Country) (国名)

私は、第35編米国法典119条 (e) 項に基づいて下記の米国特許出願規定に記載された権利をここに主張いたします。

<u> </u> (Application No.) (出願番号)	<u> </u> (Filing Date) (出願日)
------------------------------------------------------------	-------------------------------------------------------

私は、下記の米国法典第35編120条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条 (c) に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

<u> </u> (Application No.) (出願番号)	<u> </u> (Filing Date) (出願日)
<u> </u> (Application No.) (出願番号)	<u> </u> (Filing Date) (出願日)

私は、私自信の知識に基づいて本宣言書で私が行なう表明が真実であり、かつ私の入手した情報と私の信じているところに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行えば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

<u>05 / 07 / 1999</u> (Day/Month/Year Filed) (出願年月日)	Priority Claimed 優先権主張 <input checked="" type="checkbox"/> Yes はい	<input type="checkbox"/> No いいえ
<u> </u> (Day/Month/Year Filed) (出願年月日)	<input type="checkbox"/> Yes はい	<input type="checkbox"/> No いいえ

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

<u> </u> (Application No.) (出願番号)	<u> </u> (Filing Date) (出願日)
------------------------------------------------------------	-------------------------------------------------------

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

<u> </u> (Status: Patented, Pending, Abandoned) (現況：特許許可済、係属中、放棄済)

<u> </u> (Status: Patented, Pending, Abandoned) (現況：特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration

(日本語宣言書)

委任状：私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。
(弁理士、または代理人の指名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,599; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; William E. Beaumont, Reg. No. 30,996; Jean-Paul Lavallee, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Richard L. Treanor, Reg. No. 36,379; Steven P. Weihrouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26,142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,423; Jeffrey B. McIntyre, Reg. No. 36,867; William T. Enos, Reg. No. 33,128; Michael E. McCabe, Jr., Reg. No. 37,182; Bradley D. Lytle, Reg. No. 40,073; and Michael R. Casey, Reg. No. 40,294, with full powers of substitution and revocation.

書類送付先

Send Correspondence to:

OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VIRGINIA 22202 U.S.A.

直接電話連絡先：(名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)

(703) 413-3000

単独発明者または第一の共同発明者の氏名 1-00	Full name of sole or first joint inventor Miroslaw Z. BOBER
発明者の署名 日付	Inventor's signature Miroslaw Z. Bober Date December 6 th , 2000
住所	Residence Surrey, U.K. GBX
国籍	Citizenship Poland ✓
郵便の宛先	Post Office Address 18-20, Frederick Sanger Road, The Surrey Research Park, Guildford, Surrey GU2 6YD U.K.
第二の共同発明者の氏名	Full name of second joint inventor, if any
第二の共同発明者の署名 日付	Second joint Inventor's signature Date
住所	Residence
国籍	Citizenship
郵便の宛先	Post Office Address

(第三以降の共同発明者についても同様に記載し、署名すること)

(Supply similar information and signature for third and subsequent joint inventors.)